

10/786354

CofC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kie Y. Ahn et al.

Examiner: Huynh, Andy

Patent No.: 6,995,470

Group Art Unit: 2818

Issue Date: February 7, 2006

Docket No: 303.686US3

Title: MULTILEVEL COPPER INTERCONNECTS WITH LOW-K DIELECTRICS AND AIR GAPS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

ATTN: CERTIFICATE OF CORRECTION BRANCH

Certificate
MAR 01 2006
of Correction

We are transmitting herewith the attached:

- ☒ A check in the amount of \$100.00 to cover the Certificate of Correction fee.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 19-0743.

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.

Customer No: 21186

By: 

Name: Timothy B. Clise


Reg. No. 40,957

TBC:CMG:cmb

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 23 day of February 2006.

CHRISTOPHER M. BAKER

Name


Signature



Patent 6,995,470

PATENT

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,995,470

Docket No: 303.686US3

Issue Date: February 7, 2006

Patentee: Kie Y. Ahn et al.

Customer No.: 21186

Confirmation No.: 4551

Title MULTILEVEL COPPER INTERCONNECTS WITH LOW-K DIELECTRICS
AND AIR GAPS

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: CERTIFICATE OF CORRECTION BRANCH

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

Pursuant to 1.20(a), enclosed please find a check in the amount of \$100.00.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

The Examiner is authorized to charge any additional fees or credit overpayment to Deposit Account No.19-0743.

Respectfully Submitted

KIE Y. AHN ET AL.

By their Representatives,

SCHWEGMAN, LUNDBERG, WOESSNER & KLUTH, P.A.
P.O. Box 2938
Minneapolis, MN 55402
(612) 373-6900

Date:

23 Feb '06

By:

Timothy B. Clise
Reg. No: 40,957
TBC:omb

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 23 day of February 2006

CHRISTOPHER M. BAKER
Name

[Signature]
Signature

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,995,470

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Ahn et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 26, after "100" delete "mm" and insert - - nm - -, therefor.

In column 2, line 13, delete "intra" and insert - - intra - -, therefor.

In column 4, line 33, delete "FIGS. 2A," and insert - - FIG. 2A, - -, therefor.

In column 8, line 19, after "gaps" delete "a" and insert - - and - -, therefor.

In column 10, line 61, delete "intra" and insert - - intra - -, therefor.

In column 12, line 1, in Claim 9, delete "claim," and insert - - claim 6, - -, therefor.

In column 12, line 1, in Claim 9, after "includes" delete "a".

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.686US3

PATENT NO. 6,995,470

No. of additional copies



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,995,470

Page (1) of 1

DATED : February 7, 2006

INVENTOR(S) : Ahn et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 1, line 26, after "100" delete "mm" and insert - - nm - -, therefor.

In column 2, line 13, delete "intral" and insert - - intra - -, therefor.

In column 4, line 33, delete "FIGS. 2A," and insert - - FIG. 2A, - -, therefor.

In column 8, line 19, after "gaps" delete "a" and insert - - and - -, therefor.

In column 10, line 61, delete "intral" and insert - - intra - -, therefor.

In column 12, line 1, in Claim 9, delete "claim," and insert - - claim 6, - -, therefor.

In column 12, line 1, in Claim 9, after "includes" delete "a".

MAILING ADDRESS OF SENDER:

SCHWEGMAN, LUNDBERG, WOESSNER, & KLUTH, P.A.
P.O. BOX 2938
Minneapolis, MN 55402

Atty Docket No: 303.686US3

PATENT NO. _____ 6,995,470 _____

No. of additional copies

➡ _____